

CARDUELINE FINCHES																			
1057	Hooded Siskin																		
1058	Olivaceous Siskin																		
1059	Yellow-bellied Siskin																		
OLD WORLD SPARROWS																			
1060	House Sparrow																		

Andean Ruddy-Duck* Sometimes lumped with North American Ruddy-Duck

Gray Hawk* Often split in South America and called Gray-lined Hawk

Foothill Screech-Owl* Often lumped with Vermiculated Screech-Owl. Also known as Rio Napo Screech-Owl

Amazonian White-tailed Trogon* Now called just White-tailed Trogon

Western White-tailed Trogon* Now called Green-backed Trogon

Amazonian Violaceous Trogon* Now called Amazonian Trogon

Blue-crowned Motmot* Split several ways. If we see it, it will be Amazonia Motmot

Highland Motmot* Now called Andean Motmot

Emerald Toucanet* Split several ways. If we see it, it will be White-throated Toucanet

Black-mandibled Toucan* Often lumped with Chestnut-mandibled Toucan

Bar-winged Cinclodes* Split and here called Chestnut-winged Cinclodes

Ocellated Woodcreeper* Split and called Tschudi's Woodcreeper here

Griscom's Antwren* Often lumped with Short-billed Antwren and called Moustached Antwren

Long-tailed Antbird* Split four ways and the taxon in Ecuador is called Streak-headed Antbird

Warbling Antbird* Split and called Peruvian Warbling Antbird

Bicolored Antbird* Now split and restricted to west of the Andes

White-cheeked Antbird* Split from Bicolored Antbird and lives in the Amazonas

Unicolored Tapaculo* Split and in Ecuador called Blackish Tapaculo

Equatorial Rufous-vented Tapaculo* Name changed to Long-tailed Tapaculo

Northern White-crowned Tapaculo* Name changed to White-crowned Tapaculo

Chocó Tyrannulet* Split from Golden-faced Tyrannulet and lives west of the Andes

Foothill Elaenia* Described after the book was published and only mentioned in the text

Striped Manakin* Split and called Western Striped Manakin in Ecuador

Thrush-like Schiffornis* Split many ways. In the west called Northern Schiffornis, in the eastern foothills called Foothill Schiffornis and in the Amazonas called Brown-backed Schiffornis

Chocó Warbler* Sometimes (wrongly) lumped with Golden-bellied Warbler

Western Hemispingus* Often lumped with Black-eared Hemispingus

Thick-billed Seed-Finch* Lesser Seed-Finch has been split up into this and following species

Chesnut-bellied Seed-Finch*

Tricolored Brush-Finch*

Stripe-headed Brush-Finch*

See above. This species occurs east of the Andes and the above west of the Andes

Now split and called Chocó Brush-Finch

Split and the form in Ecuador is called Gray-browed Brush-Finch